STATE OF GEORGIA DEPARTMENT OF NATURAL RESOURCES ENVIRONMENTAL PROTECTION DIVISION

APPLICATION FOR A PRETREATMENT PERMIT (Includes Baseline Monitoring Report Data)

To be filed by persons engaged in manufacturing, mining or commercial operations which generate pollutants which are discharged to publicly owned treatment works and then into the waters of the State.

FOR EPD USE ONLY
Date Received:
Dame ! North and

ana		Permit Number: (If applicable)	
SEC	TION A - G	SENERAL INFORMATION	-
1.]	fill you be connected to the public sanitary sewer system?] Yes [] No (if no, then do not continue with application. Sign application and submed Environmental Protection Division).	nit
	b. <u>Fo</u>	or an existing business:	
	Is the bu	ilding presently connected to the public sanitary sewer system?	
	[] Yes: [] No:		
	c. <u>Fo</u>	or a new business:	
	(i)	Will you be occupying an existing vacant building? [] Yes [] No	
	(ii). Have you applied for a building permit if a new facility will be constructed? [] Yes [] No	
2.	Does or sewer?	will this facility discharge any wastewater other than from rest rooms to the City	
	[] Yes	If the answer to this question is 'Yes", please complete the remainder of the application.	
	[] No	If the answer to this question is "No", skip to Section I.	
3.	Facility N	lame:	
	a. O	perator Name:	

	b. Is the operator identified in 1.a., the owner [] Yes [] No	of the facility	/ ?			
	If no, provide the name and address of and/or other documents indicating the					
4.	Facility Address:					
	Street:		County:			
	City:		State:	Zip:		
	Oity.		Ctato.	Zip:		
5.	Business Mailing Address:					
	Street or P.O. Box:					
	City:		State:	Zip:		
6.	Designated signatory authority for the facility [Attach similar information for each authorize		tive]			
	Name:					
	Title:					
	Address:	01-1		7:		
	City: Phone #:	State: Email:		Zip:		
7.	Designated facility contact:					
	Name:					
	Title:	Email:				
	Phone #:	Cell Phone #	#:			
SECTIO 1.	ON B – BUSINESS ACTIVITY If your facility employs or will be employing processes of whether they generate wastewater, waste sludge, or	s in any of the in	ndustrial categor			
	(check all that apply).	n nazardous wa	asie), place a ci	leck beside the category		
	(2	Coc		egulations (CFR)		
	al Categories		Reference			
[]	Aluminum Forming Asbestos Manufacturing		46 42			
	Battery Manufacturing		46			
[]	Canned and Preserved Fruits and Vegetables Proces	sing	40	7		
[]	Canned and Preserved Seafood Processing		408			
	Carbon Black Manufacturing Cement Manufacturing		458 411			
[]	Centralized Waste Treatment		43			
į į	Coal Mining		43			
[]	Coil Coating		46			
[]	Concentrated Aquatic Animal Production		45	1		
[]	Construction and Development			^		
1 1	Conner Forming		45 46			
[]	Construction and Development Copper Forming Dairy Products Processing		45 46 40	8		

413 457 412 424 418 426 406 454 460 447 415 420 445 425 432 433 464
457 412 424 418 426 406 454 460 447 415 420 445 425 432 433 464
412 424 418 426 406 454 460 447 415 420 445 425 432 433 464
424 418 426 406 454 460 447 415 420 445 425 432 433 464
418 426 406 454 460 447 415 420 445 425 432 433 464
426 406 454 460 447 415 420 445 425 432 433 464
406 454 460 447 415 420 445 425 432 433 464
454 460 447 415 420 445 425 432 433 464
460 447 415 420 445 425 432 433 464
447 415 420 445 425 432 433 464
415 420 445 425 432 433 464
420 445 425 432 433 464
445 425 432 433 464
425 432 433 464
432 433 464
433 464
464
438
436
471
421
435
440
414
446
443
455
419
439
439 422
422 459
463
466
430
428
417
423
409
410
429
442
444

3.				(SIC) for all p	processes (If mor	e than one
	a. b. c. d. e.					
4.	PRODUCT VOLUM	ΛΕ:				
	Product (Brand Name)	Amount	s Per Day		E THIS CALEND Amounts Per Da (Daily Units)	
		Average	Maximum	Average	Ma	ximum
						_
	CTION C - WATER SU		are applicable)			
1.	[] Private Well [] Surface Wat	er				
	[] Other				Specify):	
2.	List average water	usage on premis	ses: [New facilitie	s may estimat	re]	
	<u>Type</u>				Indicate Estimate (E) o Measured (M)	
	a. Contact cooling	water				ENDAR YEAR Date (S) Maximum
	b. Non-contact coo	PAST CALENDAR YEAR Amounts Per Day (Daily Units) Average Maximum Average TER SUPPLY Ces: (Check as many as are applicable) te Well ace Water cipal Water Utility (Specify City): Tex water usage on premises: [New facilities may estimate] Average Water Usage (GPD) Average Water Usage (GPD) Average Water Estimate Measure Cooling water Cooling water Maximum Average Indicate Estimate Measure				
	c. Boiler feed					
	d. Process					
	e. Sanitary					

	<u>Type</u>		Average Water Jsage (GPD)		Indicate Estimate (E) or <u>Measured (M)</u>
	f. Air pollution control	_			
	g. Contained in product				
	h. Plant & equipment wa	ash down			
	i. Irrigation & lawn water	ing			
	j. Other	_			
	k. TOTAL OF A - J				
SEC	TION D – SEWER INFOR	 MATION			
1.	Name, address, and loc discharge.	ation of the public	cly owned treatmen	nt works (I	POTW) to which you
	a. Name of organiza	ation responsible	for receiving waste	e:	
	b. Facility receiving	waste:			_
	Name:				
	Street Address: City:		County:		State:
	NPDES Permit No.		County.		State.
2.	List size, descriptive loc sewer system. (If more to		_		
	Sewer Size		iptive Location of S ection or Discharge		Average <u>Flow (GPD)</u>

SECTION E - WASTEWATER DISCHARGE INFORMATION

1. Provide the following information on wastewater flow rate. (New facilities may estimate). Hours/Day discharged (e.g. 8 hours/day): a. Tue Mon Wed Thu Fri Sat Sun Hours of Discharge (e.g., 9 a.m. to 5 p.m.) b. Mon Tue Wed Thu Fri Sat Sun Peak hourly flow rate (GPD) C. Maximum daily flow rate (GPD) d. Annual daily average (GPD) e. 2. If batch discharge occurs or will occur, indicate: [New facilities may estimate] Number of batch discharges per day a. Average discharge per batch (GPD) b. Time of batch discharges (days of week) (hrs of day) C. d. Flow rate (gallons/minute) Percent of total discharge e. 3. Schematic Flow Diagram – For each major activity in which wastewater is or will be generated, draw a diagram of the flow of materials, products, water, and wastewater from the start of the activity to its completion, showing all unit processes. Indicate which processes use water and which generate wastestreams. Include the average daily volume and maximum daily volume of each wastestream [new facilities may estimate]. If estimates are used for flow data this must be indicated. Number each unit process having wastewater discharges to the community

Facilities that checked activities in question 1 of Section B are considered Categorical Industrial Users and should skip to question 5.

sewer. Use these numbers when showing these unit processes in the building layout in

Section H.

	processes. Include the refere each process. [New facilities s			diagram that corresponds to charge].
<u>No</u> .	Process Description	Average Flow (GPD)	Maximum Flow(GPD)	Type of Discharge (batch, continuous, none)
5. F	ANSWER QUESTIONS 5 PRETREATMENT STANDAR For Categorical Users: Provious proposed processes. Include corresponds to each process.	DS de the wastewate the reference nu	r discharge flows for mber from the scher	matic flow diagram that
<u>No</u> .	Regulated Process	Average Flow (GPD)	Maximum Flo	Type of Discharge (batch, continuous, none)
<u>No</u> .	Unregulated Process	Average Flow (GPD)	Maximum Flow(GPD)	Type of Discharge (batch, continuous, none)
<u>No</u> .	<u>Dilution</u>	Average Flow (GPD)	Maximum Flow (GPD)	Type of Discharge (batch, continuous, none)
	-			

For Non-Categorical Users Only: List average wastewater discharge, maximum discharge, and

type of discharge (batch, continuous, or both), for each of your processes or proposed

4.

6.	irements:								
	Provide the following (TTO) information:								
	a.		` ,		•				
		[]	Yes No						
	b.		nich contains TTO						
		[]	Yes No						
Provide the following (TTO) information: a. Does (or will) this facility use any of the toxic organics that are listed under the TTO standard of the applicable categorical pretreatment standards published by EPA? [] Yes [] No b. Has a baseline monitoring report (BMR) been submitted which contains TTO information? [] Yes [] No c. Has a toxic organics management plan (TOMP) been developed? [] Yes, (Please attach a copy) [] No 7. Do you have, or plan to have, automatic sampling equipment or continuous wastewater flometering equipment at this facility? Current: Flow Metering [] Yes [] No [] N/A Sampling Equipment [] Yes [] No [] N/A Planned: Flow Metering [] Yes [] No [] N/A Sampling Equipment [] Yes [] No [] N/A If so, please indicate the present or future location of this equipment on the schematic flow diagram and describe the equipment below:									
			•	y)					
7.	•		•	c sampling ed	quipment or co	ontinuous wastewater flow			
	Current:		•						
	Plann	ed:	J						
	If so, please indicate the present or future location of this equipment on the schematic flow								
	If flow metering equipment is not installed, will water use records or other method be used and								
			J	'					
8.	waste	water \	olumes or characteristics?	Consider pr	oduction proc				
	[]	Yes, t	hen briefly describe these haracteristics: (Attach addi	•		on the wastewater volume			
	<u> </u>								

9.	Are any materials of water reciamation systems in use of planned?
	 [] No [] Yes, then briefly describe recovery process, substance recovered, percent recovered, and the concentration in the spent solution. Submit a flow diagram for each process: (Attach additional sheets if needed.)
10.	Are any other waste minimization measures used or planned?
	[] No [] Yes, then briefly describe measures.

Section F – CHARACTERISTICS OF DISCHARGE (refer to 40 CFR Part 403.12(b) for baseline monitoring report requirements).

1. **DATA:** Report organics and pesticides as ug/l; conventional pollutants and metals as mg/l; mass as lbs/day. All other units have been specified.

All current industrial users are required to submit monitoring data on all pollutants that are subject to categorical standards. Use the tables provided in this section to report the analytical results. **DO NOT LEAVE BLANKS.** For all other (nonregulated) pollutants, indicate whether the pollutant is known to be present (P), suspected to be present (S), or known not to be present (O), by placing the appropriate letter in the concentration column under average of analyses. If data is available for nonregulated pollutants, please include. Indicate on either the top of each table, or on a separate sheet, if necessary, the time, date, and place of sampling, the methods of analysis, the type of sample (i.e., flow proportional composite samples, time proportional composite samples or grab samples) and the number of representative samples taken. Be sure methods conform to **40 CFR Part 136:** if they do not, indicate what method was used. A certification statement should also be provided on the table or additional sheet if necessary that such sampling and analysis are representative of normal work cycles and expected pollutant discharges to the **POTW**. A copy of a pollutant scan can be attached in lieu of completing the tables provided that all requested information is included on the scan.

New dischargers should use the table to indicate what pollutants will be present or are suspected to be present in proposed wastestreams by placing P (expected to be present), S (may be present), or O (will not be present) in the concentration column under <u>average of analyses</u>. If the industry is not yet in operation, the levels of the regulated pollutants and process flows should be estimated and reported.

When analyzing for pollutants listed in Georgia's <u>Rules and Regulations for Water Quality Control</u>, the applicant should ensure that the pollutants are at least analyzed down to the detection limits as specified in Attachment No. 1. If detection levels are not applicable for specific pollutants, so indicate by placing N/A under the column <u>detection level used</u>.

TABLE A - POLLUTANT SPECIFIC RESULTS

Pollutant	Detection Level	el Daily Value			Average Of Analyses		Units	
	Used Conc. M		Mass	Conc.	Mass	Analyses	Conc.	Mass
Acenaphthene		COIIC.	IVIASS	COIIC.	IVIASS		COIIC.	IVIASS
Acrolein								
Acrylonitrile				+				
Benzene			+		+			
Benzidine			+		+			
Carbon tetrachloride								
Chlorobenzene								
1,2,4-Trichlorobenzene								
Hexachlorobenzene								
1,2-Dichloroethane								
1, 1, I -Trichloroethane								
Hexachloroethane								
1, 1 -Dichloroethane								
1, 1, 2-Trichloroethane								
1, 1, 2,2-Tetrachloroethane								
Chloroethane								
Bis(2-chloroethyl) ether								
2-Chloroethyl vinyl ether								
2-Chloronaphthalene								
2,4,6-Trichlorophenol								
Parachlorometa cresol								
Chloroform								
2-Chlorophenol								
1,2-Dichlorobenzene								
1,3-Dichlorobenzene								
1,4-Dichlorobenzene								
3,3-Dichlorobenzidine								
1,1-Dichloroethylene								
1,2-Trans-dichloroethylene								
2,4-Dichlorophenol								
1-2-Dichloropropane								
1,2-Dichloropropylene								
1,3-Dichloropropylene (Cis)								
1,3-Dichloropropylene (Trans)								
2-Methyl-4,6-Dinitrophenol								
3-Methyl-4-Chlorophenol								
2,4-Dimethylphenol								
2,4-Dinitrotoluene								
2,6-Dinitrotoluene								
1,2-Diphenylhydrazine								
Ethylbenzene								
Fluoranthene								
4-Chlorophenyl phenyl ether								
4-Bromophenyl phenyl ether								
Bis(2-chloroisopropyl) ether								
Bis(2-chloroethoxy) methane								
Methylene chloride								
Methyl chloride								
Methyl bromide								
Bromoform								
Dichlorobromomethane								

Pollutant	Detection Level	Maximum Daily Valu			Average Of Analyses		Units	
	Used	0				Analyses	0	T N 4
Chlorodibromomethane		Conc.	Mass	Conc.	Mass		Conc.	Mass
Hexachlorobutadiene	_							+
Hexachlorocyclopentadiene	+							
Isophorone	+							+
Naphthalene								1
Nitrobenzene								+
Nitrophenol	+							+
2-Nitrophenol								1
4-Nitrophenol								1
2,4-Dinitrophenol								1
4,6-Dinitro-o-cresol								1
N-nitrosodimethylamine								
N-nitrosodiphenylamine								
N-nitrosodi-n-propylamine								
Pentachlorophenol								
Phenol								
Bis(2-ethylhexyl) phthalate								
Butyl benzyl phthalate								
Di-n-butyl phthalate								
Di-n-octyl phthalate								
Diethyl phthalate								
Dimethyl phthalate								
Benzo(a)anthracene								
Benzo(a)pyrene								
4-benzofluoranthene								
Benzo(k)fluoranthene								<u> </u>
Chrysene								
Acenaphthylene								
Anthracene								
Benzo(ghi)perylene								
Fluorene Phenanthrene								
Dibenzo(a,h)anthracene	+							
Indeno(I, 2,3-cd)pyrene	+							+
Pyrene								
Tetrachloroethylene	_							+
Toluene	-							+
Trichloroethylene								1
Vinyl chloride								
Aldrin								1
Dieldrin								1
Chlordane	 					1	1	
4,4'-DDT								
4,4'-DDE								
4,4'-DDD								
Alpha-endosulfan								
Beta-endosulfan II								
Endosulfan sulfate								
Endrin								
Endrin aldehyde								
Heptachlor								
Heptachlor epoxide								
a-BHC-Alpha								
b-BHC-Beta	 					1	1	<u> </u>
d-BHC-Delta								<u> </u>

Pollutant	Detection Level			Average Of Analy	Average Of Analyses		Units	
	0300	Conc.	Mass	Conc.	Mass	Analyses	Conc.	Mass
PCB-1242		Ooric.	IVIASS	OOHO.	IVIGOS		OOHO.	IVIGOS
PCB-1254		 						+
PCB-1221								
PCB-1232								+
	 							
PCB-1248 PCB-1260	 	 						
								
PCB-1016	 	<u> </u>						
Toxaphene		<u> </u>						<u> </u>
(TCDD)								
Asbestos								
Acidity mg(CaCO ₃ .)/L								
Alkalinity mg(CaCO ₃ .)/L								
Fecal Coliform Bacteria (#/100 ml)								
Chloride								
Chlorine								
Fluoride								
Hardness mg(CaCO ₃ .)/L								
Magnesium								
NH ₃ -N								
TOČ								
Kjeldahl N, total								
Nitrate N								+
Nitrite N								
Organic N								+
Orthophosphate P								+
Phosphorus		 						+
Lindane [Hexachlorocyclohexane (g-BHC-Gamma)]								
Sodium								
Specific Conductivity µmhos/cm								1
Sulfate (SO ₄)								+
Sulfide (S)	 							†
Sulfite (SO ₃)								+
Antimony		 						+
Arsenic								
Barium	 	 						+
Beryllium	 	 			+		+	+
Cadmium								
								
Chromium (total)		<u> </u>						<u> </u>
Chromium VI					1		1	
Copper	 				1			
Cyanide		<u> </u>			1			
Lead	<u> </u>							<u> </u>
Mercury								$oldsymbol{oldsymbol{oldsymbol{eta}}}$
Nickel								
Selenium								
Silver								
Thallium								
Zinc								
Methoxychlor								1
2,4-Dichlorophenoxy propionic					1		1	1
acid (TP Silvex)	<u> </u>	<u> </u>						

TABLE B - PROHIBITED POLLUTANTS

Complete this table by checking the appropriate column and providing analytical results where indicated (P = known to be present, S = suspected to be present, O = known not to be present):

P	OLLUTANT	_	_		_
1	Materials that may create a fire or explosion hazard, including wastestreams with a closed cup flash point of less than 140°F or 60°C using test methods in 40 CFR Part 261.21	<u>P</u>	<u>S</u>		<u>O</u>
	Flash point (°F or °C)			1	
2	Corrosive type materials pH <5 or pH >9				
	pH (std. Units)				
3	Solid or viscous pollutants in amounts, which could cause flow obstruction or interference with POTW operation.				
4	Discharge of any pollutant (including BOD ₅ , Suspended Solids, COD, etc.) in volume or strength to cause POTW unit process upset of NPDES Permit Violations.				
	BOD ₅ (mg/l) COD (mg/l) Suspended Solids (mg/l) Oil and Grease (mg/l)				
5	Heated discharges in excess of 104° F or 40° C				
	Temperature (°F or °C)				
7	Pollutants, which result in presence of toxic gases, vapors or fumes in a quantity that may cause acute worker health and safety problems.				

POLLUTANT	<u>P</u>	<u>s</u>	<u>0</u>
Any trucked or hauled pollutants to discharge points on the POTW system.			

8		or to discharge points OTW system.
2.		ARDOUS WASTES DISCHARGED TO A POTW SEWER SYSTEM (see 40 CFR Part 2(P) for requirements of hazardous waste notification):
	a.	Do you now discharge listed or characteristic hazardous wastes as specified in 40 CFR Part 261 to a POTW sanitary sewer system?
	[]	No Yes (if the answer is "Yes" complete the following).
	(i)	Name of the hazardous waste as set forth in 40 CFR Part 261
	(ii)	EPA hazardous waste number
	(iii)	Type of discharge to the sewer (continuous, batch, or other)
	(iv)	A certification should be provided below that you have a program in place to reduce the volume and toxicity of hazardous wastes generated to the extent determined to be economically practical.
	(v)	Describe the program components:

b. Do		scharge more than 100 kilograms of hazardous waste per calendar month to the TW sewer?
		[] No [] Yes (if the answer is "Yes" report the following).
		(i) An identification of the hazardous constituents contained in the hazardous waste as specified in 40 CFR Part 261.
		An estimation of the mass and concentration of the constituents in the wastestream discharged during the calendar month.
		(ii) An estimation of the mass of constituents in the wastestream expected to be discharged during the next 12 months.
		ve you had to submit a hazardous waste notification (to the POTW that you discharge to) sed on the requirements of 40 CFR Part 403.12(p)?
		[] Yes (if "Yes" provide the POTW name, address and date of notification).
SECT	ΓΙΟΝ G	- TREATMENT
1.	ls any	form of wastewater treatment practiced at this facility?
	[]	Yes No
2.		form of wastewater treatment (or changes to existing wastewater treatment) planned for acility within the next three years?
	[]	Yes, describe:
	[]	No
3.		ment devices or processes used or proposed for treating wastewater or sludge (check as as appropriate).
	[] [] []	Air flotation Centrifuge Chemical precipitation

[]	Chlorination	
[]	Cyclone	
[]	Filtration	
[]	Flow equalization	
[]	Grease or oil separation, type:	
]	Grease trap	
[]	Grinding filter	
]	Grit removal	
]	Neutralization, pH correction	
]	Ozonation	
]	Reverse osmosis	
j	Screen	
j	Sedimentation	
j	Septic tank	
j	Solvent separation	
j	Spill protection	
j	Sump	
j	Biological treatment, type:	
j	Rainwater diversion or storage	
j	Other chemical treatment, type:	
j	Other physical treatment, type:	
j	Other type:	
•	, ·	
Desc	ription	
	•	
Desc	ribe the pollutant loadings, flow rat	es, design capacity, physical size, and operating
oroce	edures of each treatment facility ch	ecked above (attach additional sheets if necessary).
Attac	h a process flow diagram for each	existing treatment system. Include process equipmen
oy-pr	oducts, by-product disposal metho	d, waste and by-product volumes, and design and
	ating conditions.	
•	C	
Desc	ribe any changes in treatment or d	isposal methods planned or under construction for the
vaste	ewater discharge to the sanitary se	wer. Please include estimated completion dates.
waste	ewater discharge to the sanitary se	wer. Please include estimated completion dates.

4.

5.

6.

7.	Do you have a treatment plant operator? [(if Yes):] No [] Yes.
	Name:	
	Title:	
	Phone:	
	Full Time: (specify hrs)	
	Part Time: (specify hrs)	
8.	Is the treatment plant operator certified?	[] No [] Yes (if Yes):
	Certification type:	
	Certification date & number	
SECT	TION H - FACILITY OPERATIONAL CHARA	CTERISTICS
1.	Indicate whether the facility discharge is:	
		hs of the year during which the business activity
occur	s: JFMAMJ	J A S O N D
	J F W A W J	J A S O N D
	COMMENTS:	
2.	Does operation shut down for vacation, mai	ntenance, or other reasons?
	[]No	
	[] Yes, indicate reasons and per	iod when shutdown occurs:
3.	List types and quantity of raw materials, cat planned for use (attach list if needed).	alysts, intermediates and other chemicals used or
	Chemical	Quantity
		+
		+

4. Building Layout - Draw to scale the location of each building on the premises. Show map orientation and location of all water meters, storm drains, numbered unit processes (from schematic flow diagram in Section E-3), public sewers, and each facility sewer line connected to the public sewers. Number each sewer.

A blueprint or drawing of the facilities showing the above items may be attached in lieu of submitting a drawing.

SECTION I - SPILL PREVENTION

1.	Do yo	ou have chemical storage containers, bins, or ponds at your facility? [] No [] Yes
	meth	s, please give a description of their location, contents, size, type, and frequency and od of cleaning. Also indicate in a diagram or comment on the proximity of these iners to a sewer or storm drain. Indicate if buried metal containers have cathodic ction.
2.	•	ou have floor drains in your manufacturing or chemical storage area(s)? [] No [] Yes , where do they discharge to?
3.		have chemical storage containers, bins, or ponds in manufacturing area, could an ental spill lead to a discharge to: (check all that apply).
	[] [] [] []	an on-site disposal system public sanitary sewer system (e.g. through a floor drain) storm drain to ground other, specify:
	[]	not applicable, no possible discharge to any of the above routes
4.	•	ou have an accidental spill prevention plan (ASPP) to prevent spills of chemicals or slug arges from entering the City's collection system?
	[] []	No Yes (Please enclose a copy with the application) N/A, not applicable since there are no floor drains and/or the facility discharges only domestic wastes.

SECTION J - NON-DISCHARGED WASTES

1.	Are any waste liqu	iids or sludges generated a	and <u>not</u> disposed of in	the sanitary sewer system?
		e remainder of Section J. e describe below (attach ac	dditional sheets if nece	essary)
V	/aste Generated	Quantity (per year)	Disposal Method	Treatment Facility On-site/Off-site
2.		tes identified in No. 1 are set facility's name and location		alized waste treatment
		•		
3.	If an outside firm r addresses) of all v	•	described in No. 1 abo	ove, state the name(s) and
	a			
	Permit No.	(if applicable):		
	b			
	Permit No.	(if applicable):		
4.	If any wastes are	stored on site for greater th	nan 90 days provide th	e following:
	Method: [] drum,	[] roll-off container, []	tank, [] lagoon,	
	[] other (specify)			
	Typical length of ti	me waste stored: []	days [] weeks	[] months
	Typical volume of	waste stored: [] tons	[] gallons	
	Is storage site dike	ed? [] Yes []	No	
	Surface drainage	collection: [] Yes	[] No	

5.	Have	you been issued any Federal, State, or I	ocal environmental permits?
	[]	No Yes	
	If Yes	, please list the permit(s):	
6.	In the for?	event of discharge to storm sewer or su	rface water, has an NPDES Permit been applied
	[]	No Yes	
	If Yes	, please indicate the permit number or a	pplication date:
SECT	TION K	- AUTHORIZED SIGNATURES	
Comp	oliance	Certification:	
1.		ll applicable Federal, State, or local pretr consistent basis?	eatment standards and requirements being met
	[] []	No Yes Not yet discharging	
2.	I <u>f No:</u>		
	a.	•	nance procedures are being considered to bring additional treatment technology or practice being into compliance.
	b.	planned along with reasonable complete	es a permit to the applicant, it may establish a
		Milestone Activity	Completion Date

Authorized Representative Statement

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name(s)	Title		
ramo(o)	1100		
Signature	Date	Phone	

Attachment A PRIORITY POLLUTANTS

	PRIORITY P	OLLUTANTS	
· · · · · · · · · · · · · · · · · · ·	CTION LIMIT (PQL)	CHEMICAL CONSTITUENTS [DETECTION LIMIT (PQL)
Methoxychlor	0.3 μ/Ι	2.4 Danneth and	40 //
2,4-Dichlorophenoxyacetic acid (2,4-D)	5 μ/Ι	3,4-Benzofluoranthene	10 μ/l
2,4,5-Trichlorophenoxy propionic acid (TP Silvex)	10 μ/l	Benzo(ghi)Perylene	10 μ/I
Antimony	5 μ/Ι	Benzo(k)Fluoranthene	10 μ/I
Arsenic	5 μ/Ι	Bis(2-Chloroethoxy)Methane	10 μ/Ι
Beryllium	1 μ/Ι	Bis(2-Chloroethyl)Ether	10 μ/l
Cadmium	0.7 μ/Ι	Bis(2-Chloroisopropyl)Ether	10 μ/l
Chromium (Total)	5 μ/Ι	Bis(2-Ethylhexyl)Phthalate	10 μ/l
Chromium (VI)	10 μ/l	4-Bromophenyl Phenyl Ether	10 μ/l
Copper	5 μ/Ι	Butylbenzyl Phthalate	10 μ/Ι
Lead	1 μ/Ι	2-Chloronaphthalene	10 μ/l
Mercury	0.5 μ/Ι	4-Chlorophenyl Phenyl Ether	10 μ/Ι
Nickel	5 μ/Ι	Chrysene	10 μ/Ι
Selenium	5 μ/Ι	Dibenzo(a,h)Anthracene	10 μ/l
Silver	5 μ/Ι	1,2-Dichlorobenzene	10 μ/l
Thallium	1 μ/Ι	1,3-Dichlorobenzene	10 μ/Ι
Zinc	10 μ/Ι	1,4-Dichlorobenzene	10 μ/I
Cyanide	25 μ/Ι	3,3-Dichlorobenzidine	20 μ/Ι
Acrolein	50 μ/l	Diethyl Phthalate	10 μ/I
Acrylonitrile	50 μ/Ι	Dimethyl Phthalate	10 μ/l
Benzene	2 μ/Ι	Di-n-Butyl Phthalate	10 μ/I
Bromoform (Tribromomethane)	10 μ/Ι	2,4-Dinitrotoluene	20 μ/Ι
Carbon Tetrachloride	2 μ/Ι	2,6-Dinitrotoluene	20 μ/Ι
Chlorobenzene	10 μ/Ι	Di-n-Octyl Phthalate	10 μ/Ι
Chlorodibromomethane	10 μ/Ι	1,2-Diphenylhydrazine	10 μ/Ι
Chloroethane	5 μ/l	Fluoranthene	10 μ/Ι
2-Chloroethylvinyl Ether	10 μ/l	Fluorene	10 μ/Ι
Chloroform (Trichloromethane)	2 μ/l	Hexachlorobenzene	10 μ/Ι
Dichlorobromomethane	10 μ/I	Hexachlorobutadiene	10 μ/Ι
1, 1 –Dichloroethane	2 μ/l	Hexachlorocyclopentadiene	10 μ/l
1,2-Dichloroethane	2 μ/l	Hexachloroethane	10 μ/l
1, 1 –Dichloroethylene	2 μ/l	Indeno(1,2.3-cd)Pyrene	10 μ/l
1,2-Dichloropropane	2 μ/l	Isophorone	10 μ/l
1,3-Dichloropropylene (Cis)	2 μ/l	Naphthalene	10 μ/l
1,3-Dichloropropylene (Trans)	2 μ/l	Nitrobenzene	10 μ/Ι
Ethylbenzene	2 μ/l	N-Nitrosodimethylamine	ا/μ 10
Methyl Bromide (Bromomethane)	10 μ/l	N-Nitrosodi-n-Propylamine	ا/μ 10
Methylene Chloride	10 μ/l	N-Nitrosodiphenylamine	10 μ/l
Methyl Chloride (Chloromethane)	10 μ/l	Phenanthrene	ا/μ 10
1,1,2,2-Tetrachloroethane	2 μ/l	Pyrene	10 μ/l
Tetrachloroethylene	2 μ/l	1,2,4-Trichlorobenzene	10 μ/Ι
Toluene	2 μ/l	Aldrin	0.1 μ/I
1,2-Trans-Dichloroethylene	2 μ/l	a-BHC-Alpha	0.1 μ/l
1,1,1-Trichloroethane	2 μ/l	b-BHC-Beta	0.1 μ/l
1,1,2-Trichloroethane	2 μ/l	Lindane [Hexachlorocyclohexane (g-BHC-gamm	•
Trichloroethylene	2 μ/l	d-BHC-Delta	0.1 μ/l
Vinyl Chloride	2 μ/l 10 μ/l	Chlordane	0.5 μ/l
2-Chlorophenol	10 μ/l	4,4-DDT	0.2 μ/l
2,4-Dichlorophenol	10 μ/l	4,4-DDE	0.2 μ/l
2,4-Dictiorophenol	10 μ/l	4,4-DDD	0.2 μ/l
•		Dieldrin	0.2 μ/I 0.1 μ/I
2-Methyl-4, 6-Dinitrophenol (4,6-Dinitro-o-cresol)	50 μ/l	a-Endosulfan	0.1 μ/l 0.5 μ/l
2,4-Dinitrophenol	50 μ/l	b-Endosulfan	0.5 μ/l
2-Nitrophenol	50 μ/l	Endosulfan sulfate	0.5 μ/l
4-Nitrophenol 3 Methyl 4 Chlorophenol (Parachlerometa gracel)	50 μ/l		
3-Methyl-4-Chlorophenol (Parachlorometa cresol)	10 μ/l	Endrin Aldohydo	0.2 μ/Ι
Pentachlorophenol	20 μ/l	Endrin Aldehyde	0.2 μ/l
Phenol	10 μ/l	Heptachlor Enovide	0.1 μ/l
2,4,6-Trichlorophenol	10 μ/l	Heptachlor Epoxide	0.1 μ/l
Acenaphthene	10 μ/l	PCB-1242	1 μ/l
Acenaphthylene	10 μ/l	PCB-1254	1 μ/Ι
Anthracene	10 μ/l	PCB-1221	1 μ/Ι
Benzidine	80 μ/l	PCB-1232	1 μ/Ι
Benzo(a)Anthracene	10 μ/l	PCB-1248	1 μ/Ι
Benzo(a)Pyrene	10 μ/Ι	PCB-1260	1 μ/Ι
		PCB-1016	1 μ/l
		Toxaphene	2 μ/Ι

AS OF: June 26, 2001